

**FIX-R**  
**CLASSIC**  
**FLAT ROOFING**

# PRIMER 10

## SECTION 1

### Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

**Product form:** Mixture

**Product name:** FIX-R Classic Primer 10

**Stock codes:** K8 = 10513506

Distributor code = 125550005

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Industrial/Professional use spec : For professional use only  
Industrial

Use of the substance/mixture : Primer

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

FIX-R, Harding Way, St Ives, Cambridgeshire PE27 3YJ

Tel: 01480 466 777 Fax: 01480 290 133 Email: info@fix-r.co.uk www.fix-r.co.uk

#### 1.4. Emergency telephone number

01480 466 777

## SECTION 2

### Hazards Identification

#### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

: Flam. Liq. 3 H226  
Skin Irrit. 2 H315  
Eye Irrit. 2 H319  
Resp. Sens. 1 H334  
Skin Sens. 1 H317  
Carc. 2 H351  
STOT SE 3 H335  
STOT RE 2 H373

Full text of H-phrases: see section 16

## 2.2. Label elements

### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS02 GHS07 GHS08

Precautionary statements (CLP) :

P101 - If medical advice is needed, have product container or label at hand  
P102 - Keep out of reach of children  
P260 - Do not breathe vapours  
P280 - Wear protective gloves, face protection, eye protection  
P233 - Keep container tightly closed  
P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking  
P271 - Use only outdoors or in a well-ventilated area  
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation

EUH phrases : EUH204 - Contains isocyanates.  
May produce an allergic reaction

## SECTION 3

### Composition/Information on Ingredients

#### 3.1. Substance

Not applicable

#### 3.2. Mixture

| Name   | Product identifier  | %       | Classification according to Directive 67/548/EEC                        | Classification according to Regulation (EC) No. 1272/2008 [CLP]  |
|--|---|---------|---|--|
| xylene   | (CAS No) 1330-20-7<br>(EC no) 215-535-7<br>(EC index no) 601-022-00-9 | 50 - 80 | R10<br>Xn; R20/21<br>Xi; R36/37/38<br>Xn; R65                           | Flam. Liq. 3, H226<br>Acute Tox. 4 (Dermal), H312<br>Acute Tox. 4 (Inhalation), H332<br>Skin Irrit. 2, H315<br>Eye Irrit. 2, H319<br>STOT SE 3, H335<br>STOT RE 2, H373<br>Asp. Tox. 1, H304 |
| Diphenylmeth-<br>anediisocyanate,<br>isomers and<br>homologues | (CAS No) 9016-87-9  | <5      | Carc.Cat.3; R40<br>Xn; R20<br>Xn; R48/20<br>R42<br>Xi; R36/37/38<br>R43 | Acute Tox. 4 (Inhalation), H332<br>Skin Irrit. 2, H315<br>Eye Irrit. 2, H319<br>Resp. Sens. 1, H334<br>Skin Sens. 1, H317<br>Carc. 2, H351<br>STOT SE 3, H335<br>STOT RE 2, H373             |

Specific concentration limits:

| Name   | Product identifier  | Specific concentration limits:<br>DSD/DPD | Specific concentration limits:<br>CLP |
|--------|---|---|---------------------------------------|
| xylene | (CAS No) 1330-20-7<br>(EC no) 215-535-7<br>(EC index no) 601-022-00-9 | (C >= 12.5) Xn;R20/21                     |                                       |

Full text of R- and H-phrases: see section 16

## SECTION 4

### First Aid Measures

#### 4.1. Description of first aid measures

- First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Suspected of causing cancer.
- First-aid measures after inhalation : If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. If experiencing respiratory symptoms: Call a POISON CENTER or doctor/ physician if you feel unwell.
- First-aid measures after skin contact : Remove/Take off immediately all contaminated clothing. Wash with plenty of soap and water. Rinse skin with water/shower. Wash contaminated clothing before reuse. If skin irritation occurs: Get medical advice/attention.
- First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
- First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/injuries : Causes damage to organs.
- Symptoms/injuries after inhalation : May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction. May cause respiratory irritation.
- Symptoms/injuries after skin contact : Causes skin irritation.
- Symptoms/injuries after eye contact : Causes serious eye irritation.

#### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

---

## SECTION 5

### Fire-fighting Measures

#### 5.1. Extinguishing media

- Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.
- Unsuitable extinguishing media : Do not use a heavy water stream.

#### 5.2. Special hazards arising from the substance or mixture

- Fire hazard : Flammable liquid and vapour.
- Explosion hazard : May form flammable/explosive vapour-air mixture.

#### 5.3. Advice for firefighters

- Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.
- Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.
- 

## SECTION 6

### Accidental Release Measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

- General measures : Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking.

##### 6.1.1. For non-emergency personnel

- Emergency procedures : Evacuate unnecessary personnel.

##### 6.1.2. For emergency responders

- Protective equipment : Equip clean-up crew with proper protection.
- Emergency procedures : Ventilate area.

#### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

#### 6.3. Methods and material for containment and cleaning up

- Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

#### 6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

## SECTION 7

### Handling and Storage

#### 7.1. Precautions for safe handling

- Additional hazards when processed : Handle empty containers with care because residual vapours are flammable.
- Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. No open flames. No smoking. Take precautionary measures against static discharge. Use only non-sparking tools. Avoid breathing vapours. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use only outdoors or in a well-ventilated area.
- Hygiene measures : Wash hands thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.

#### 7.2. Conditions for safe storage, including any incompatibilities

- Technical measures : Proper grounding procedures to avoid static electricity should be followed. Ground/bond container and receiving equipment. Use explosion-proof electrical equipment.
- Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Heat sources. Keep container tightly closed.
- Incompatible products : Strong bases. Strong acids. water, amines and alcohol's.
- Incompatible materials : Sources of ignition. Direct sunlight. Heat sources.

#### 7.3. Specific end use(s)

No additional information available

## SECTION 8

### Exposure Controls/Personal Protection

#### 8.1. Control parameters

No additional information available

#### 8.2. Exposure controls

- Personal protective equipment : Avoid all unnecessary exposure.
- Hand protection : Wear protective gloves. (Council Directive 89/686/EEC)
- Eye protection : Chemical goggles or safety glasses
- Skin and body protection : Wear suitable protective clothing
- Respiratory protection : In case of inadequate ventilation wear respiratory protection. (type A1 according to standard EN14387)
- Other information : Do not eat, drink or smoke during use.

## SECTION 9

### Physical and Chemical Properties

#### 9.1. Information on basic physical and chemical properties

|  |                   |                                 |                             |
|--|-------------------|---------------------------------|-----------------------------|
| Physical state                             | Liquid            | Flammability (solid, gas)       | Flammable liquid and vapour |
| Colour                                     | Brown             | Vapour pressure                 | No data available           |
| Odour                                      | Characteristic    | Relative vapour density at 20°C | No data available           |
| Odour threshold                            | No data available | Relative density                | No data available           |
| pH value                                   | Not applicable    | Density                         | 0.99 g/cm <sup>3</sup>      |
| Relative evaporation rate (butylacetate=1) | No data available | Solubility                      | organic solvents.           |
| Melting point                              | No data available | Log Pow                         | No data available           |
| Freezing point                             | No data available | Viscosity, kinematic            | No data available           |
| Boiling point                              | No data available | Viscosity, dynamic              | 40 cP                       |
| Flash point                                | 28°C              | Explosive properties            | No data available           |
| Auto-ignition temperature                  | No data available | Oxidising properties            | No data available           |
| Decomposition temperature                  | No data available | Explosive limits                | No data available           |

## 9.2. Other information

No additional information available

---

## SECTION 10

### Stability and Reactivity

#### 10.1. Reactivity

No additional information available

#### 10.2. Chemical stability

Stable under recommended handling and storage conditions (see section 7).

#### 10.3. Possibility of hazardous reactions

None under normal use.

#### 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Open flame. Overheating. Heat. Sparks.

#### 10.5. Incompatible materials

Strong acids. Strong bases. water, amines and alcohol's.

#### 10.6. Hazardous decomposition products

Fume. Carbon monoxide. Carbon dioxide. May release flammable gases.

---

## SECTION 11

### Toxicological Information

#### 11.1. Information on toxicological effects

Acute toxicity : Not classified

#### Diphenylmethanedilsocyanate, isomers and homologues (9016-87-9)

LD50 oral rat : 10000 mg/kg

Skin corrosion/irritation : Causes skin irritation. pH: Not applicable

Serious eye damage/irritation : Causes serious eye irritation. pH: Not applicable

Respiratory or skin sensitisation : May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified. Based on available data, the classification criteria are not met.

Carcinogenicity : Suspected of causing cancer.

Reproductive toxicity : Not classified. Based on available data, the classification criteria are not met.

Specific target organ toxicity (single exposure) : May cause respiratory irritation.

Specific target organ toxicity (repeated exposure) : May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard : Not classified. Based on available data, the classification criteria are not met.

#### GEODESMO-Primer-50

Viscosity, kinematic : 40.40404040 mm<sup>2</sup>/s

Potential adverse human health effects and symptoms

---

## SECTION 12

### Ecological Information

#### 12.1. Toxicity

No additional information available.

#### 12.2. Persistence - degradability

##### GEODESMO-Primer-50

Persistence and degradability : No available data.

#### 12.3. Bioaccumulative potential

##### GEODESMO-Primer-50

Persistence and degradability : No available data.

#### 12.4. Mobility in soil

No additional information available

#### 12.5. Results of PBT and vPvB assessment

No additional information available

#### 12.6. Other adverse effects

Additional information : Avoid release to the environment.

---

### SECTION 13

#### Disposal Considerations

##### 13.1. Waste treatment methods

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.  
Additional information : Dispose of contents/container to a hazardous or special waste collection point.  
Handle empty containers with care because residual vapours are flammable.  
Ecology - waste materials : Avoid release to the environment.

---

### SECTION 14

#### Transport Information

In accordance with ADR / RID / IMDG / IATA / ADN

##### 14.1. UN number

UN-No. (ADR) : 1139  
UN-No. (IMDG) : 1139  
UN-No.(IATA) : 1139  
UN-No.(ADN) : Not applicable  
UN-No. (RID) : Not applicable

##### 14.2. UN proper shipping name

Proper Shipping Name (ADR) : COATING SOLUTION  
Proper Shipping Name (IMDG) : COATING SOLUTION  
Proper Shipping Name (IATA) : COATING SOLUTION  
Proper Shipping Name (ADN) : Not applicable  
Proper Shipping Name (RID) : Not applicable  
Transport document description (ADR) : UN 1139 COATING SOLUTION, 3, III, (D/E)  
Transport document description (IMDG) : UN 1139 COATING SOLUTION, 3, III

##### 14.3. Air transport (ICAO-IATA) [English only]

###### ADR

Transport hazard class(es) (ADR) : 3  
Danger labels (ADR) : 3



###### IMDG

Transport hazard class(es) (IMDG) : 3  
Danger labels (IMDG) : 3



**IATA**

Transport hazard class(es) (IATA) : 3  
Danger labels (IATA) : 3

**ADN**

Transport hazard class(es) (ADN) : Not applicable

**RID**

Transport hazard class(es) (RID) : Not applicable

**14.4. Packing group**

Packing group (ADR) : III  
Packing group (IMDG) : III  
Packing group (IATA) : III  
Packing group (ADN) : Not applicable  
Packing group (RID) : Not applicable

**14.5. Environmental hazards**

Dangerous for the environment : No  
Marine pollutant : No  
Other information : No supplementary information available

**14.6. Special precautions for user****Overland transport**

Classification code (ADR) : F1  
Special provisions (ADR) : 640E  
Limited quantities (ADR) : 5I  
Excepted quantities (ADR) : E1  
Packing instructions (ADR) : P001, IBC03, LP01, R001  
Mixed packing provisions (ADR) : MP19  
Transport category (ADR) : 3  
Special provisions for carriage -  
Packages (ADR) : V12  
Special provisions for carriage -  
Operation (ADR) : S2  
Hazard identification number  
(Kemler No.) : 30  
Orange plates :



Tunnel restriction code (ADR) : D/E  
EAC code : •3YE

**Transport by sea**

Special provisions (IMDG) : 955  
Limited quantities (IMDG) : 5 L  
Excepted quantities (IMDG) : E1  
Packing instructions (IMDG) : P001, LP01  
IBC packing instructions (IMDG) : IBC03  
EmS-No. (Fire) : F-E  
EmS-No. (Spillage) : S-E  
Stowage category (IMDG) : A

**Air transport**

PCA Excepted quantities (IATA) : E1  
PCA Limited quantities (IATA) : Y344  
PCA limited quantity max net

quantity (IATA) : 10L  
PCA packing instructions (IATA) : 355  
PCA max net quantity (IATA) : 60L  
CAO packing instructions (IATA) : 366  
CAO max net quantity (IATA) : 220L  
Special provisions (IATA) : A3  
ERG code (IATA) : 3L

#### **Inland waterway transport**

Not subject to ADN : No

#### **Rail transport**

Carriage prohibited (RID) : No

#### **14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable

---

## **SECTION 15**

### **Regulatory Information**

#### **15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture:**

##### **15.1.1. EU-Regulations**

Contains no substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances.

##### **15.1.2. National regulations**

###### **Germany**

VwVwS Annex reference : Water hazard class (WGK) 3, severe hazard to waters (Classification according to VwVwS, Annex 4)

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV

###### **Denmark**

: Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

Class for fire hazard : Class II-1

Store unit : 5 liter

Classification remarks : R10 <H226;H315;H317;H319;H334;H335;H351;H373>; Emergency management guidelines for the storage of flammable liquids must be followed

Recommendations : Young people below the age of 18 years are not Danish Regulation allowed to use the product. Pregnant/breastfeeding women working with the product must not be in direct contact with the product. Persons suffering from asthma or eczema and persons who have chronic lung diseases, skin or respiratory allergies to isocyanates should not work with the material. The requirements from the Danish Working Environment Authorities regarding work with epoxy resins and isocyanates must be observed during use and disposal.

#### **15.2. Chemical Safety Assessment**

No data available.

---

## **SECTION 16**

### **Other information**

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information : None.



Full text of R-, H- and EUH-phrases:

|                           |  |
|---------------------------|--|
| Acute Tox. 4 (Dermal)     | Acute toxicity (dermal), Category 4  |
| Acute Tox. 4 (Inhalation) | Acute toxicity (inhal.), Category 4  |
| Asp. Tox. 1               | Aspiration hazard, Category 1  |
| Carc. 2                   | Carcinogenicity, Category 2  |
| Eye Irrit. 2              | Serious eye damage/eye irritation, Category 2  |
| Flam. Liq. 3              | Flammable liquids, Category 3  |
| Resp. Sens. 1             | Sensitisation – Respiratory, category 1  |
| Skin Irrit. 2             | Skin corrosion/irritation, Category 2  |
| Skin Sens. 1              | Sensitisation – Skin, category 1   |
| STOT RE 2                 | Specific target organ toxicity – Repeated exposure, Category 2                             |
| STOT SE 3                 | Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation |
| H226                      | Flammable liquid and vapour  |
| H304                      | May be fatal if swallowed and enters airways   |
| H312                      | Harmful in contact with skin   |
| H315                      | Causes skin irritation   |
| H317                      | May cause an allergic skin reaction  |
| H319                      | Causes serious eye irritation  |
| H332                      | Harmful if inhaled   |
| H334                      | May cause allergy or asthma symptoms or breathing difficulties if inhaled                  |
| H335                      | May cause respiratory irritation   |
| H351                      | Suspected of causing cancer  |
| H373                      | May cause damage to organs through prolonged or repeated exposure                          |
| EUH204                    | Contains isocyanates. May produce an allergic reaction                                     |
| R10                       | Flammable  |
| R20                       | Harmful by inhalation  |
| R20/21                    | Harmful by inhalation and in contact with skin   |
| R36/37/38                 | Irritating to eyes, respiratory system and skin  |
| R40                       | Limited evidence of a carcinogenic effect  |
| R42                       | May cause sensitization by inhalation  |
| R43                       | May cause sensitisation by skin contact  |
| R48/20                    | Harmful: danger of serious damage to health by prolonged exposure through inhalation       |
| R65                       | Harmful: may cause lung damage if swallowed  |
| Xi                        | Irritant   |
| Xn                        | Harmful  |

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.