



**FIX-R All Weather Roof Coat  
Safety Data Sheet**

According to EC regulation  
1907/2006/EC Article 31  
Version number 4.0

Revision: 26 / 09 / 2017

**Section 1: Identification of the substance/mixture and of the company/undertaking**

**1.1. Product identifier**

**Product name:** FIX-R All Weather Roof Coat

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

No further relevant information available.

**Use of substance / mixture:** The product is designed for use as a bituminous roof coating

**1.3. Details of the supplier of the safety data sheet**

**Company name:**

FIX-R  
Harding Way  
St Ives  
Cambridgeshire  
PE27 3YJ

Tel: 01480 466777

Email: [info@fix-r.co.uk](mailto:info@fix-r.co.uk)

Website: [www.fix-r.co.uk](http://www.fix-r.co.uk)

**1.4. Emergency telephone number:** NHS 111

**Section 2: Hazards identification**

**2.1. Classification of the substance or mixture**

**Classification of the substance or mixture according to Regulation (EC) No 1272/2008**

Flam. Liq. 3 H226 Flammable liquid and vapour.

STOT SE 3 H336 May cause drowsiness or dizziness.

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

**2.2. Label elements**

**Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the CLP regulation.

**Hazard pictograms:**



GHS02



GHS07



GHS08

**Signal word:** Warning

**Hazard-determining components of labelling:**

hydrocarbons,C9-C11, n-alkanes, isoalkanes cyclic, <2% aromates

Hydrocarbons, C9-C12, n-alkanes, iso-alkanes, cyclic, aromates (2-25%)

**Hazard statements:**

H226 Flammable liquid and vapour.

H336 May cause drowsiness or dizziness.

H373 May cause damage to organs through prolonged or repeated exposure.

H412 Harmful to aquatic life with long lasting effects.

**Precautionary statements:**

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P241 Use explosion-proof electrical/ventilating/lighting equipment.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

**Additional information:**

EUH066 Repeated exposure may cause skin dryness or cracking.

**Section 3: Composition/information on ingredients****3.1 Chemical characterisation: Mixtures**

**Description:** Mixture of substances listed below with nonhazardous additions.

<b>Dangerous components:</b>		
EC number: 919-857-5 Reg.nr.: 01-2119463258-33	hydrocarbons,C9-C11, n-alkanes, isoalkanes cyclic, <2% aromates  Flam. Liq. 3, H226 Asp. Tox. 1, H304 STOT SE 3, H336	10-25%

**Additional information:** For the wording of the listed hazard phrases refer to section 16.

**Section 4: First aid measures****4.1. Description of first aid measures**

**After inhalation:** Supply fresh air; consult doctor in case of complaints.

**After skin contact:** Generally the product does not irritate the skin.

**After eye contact:** Rinse opened eye for several minutes under running water.

**After swallowing:** If symptoms persist consult doctor.

#### 4.2. Most important symptoms and effects, both acute and delayed

No further relevant information available.

#### 4.3. Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### Section 5: Fire-fighting measures

#### 5.1. Extinguishing media

**Suitable extinguishing agents:**

CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

**For safety reasons unsuitable extinguishing agents:** Water with full jet

#### 5.2 Special hazards arising from the substance or mixture Not applicable.

#### 5.3 Advice for firefighters

**Protective equipment:** Wear self-contained respiratory protective device.

### Section 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

#### 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

#### 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Ensure adequate ventilation.

#### 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

### Section 7: Handling and storage

#### 7.1. Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

**Information about fire - and explosion protection:**

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

#### 7.2. Conditions for safe storage, including any incompatibilities

**Storage:**

**Requirements to be met by storerooms and receptacles:** Store in a cool location.

**Information about storage in one common storage facility:** No special measures required.

**Further information about storage conditions:**

Keep container tightly sealed.

Protect from heat and direct sunlight.

## Section 8: Exposure controls/personal protection

### 8.1. Control parameters

**Ingredients with limit values that require monitoring at the workplace:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

DNELs		
<b>hydrocarbons,C9-C11, n-alkanes, isoalkanes cyclic, &lt;2% aromates</b>		
Inhalative	DNEL	871 mg/m <sup>3</sup> (human)
<b>Hydrocarbons, C9-C12, n-alkanes, iso-alkanes, cyclic, aromates (2-25%)</b>		
Inhalative	DNEL	330 mg/m <sup>3</sup> (human)

**Additional information:** The lists valid during the making were used as basis.

### 8.2 Exposure controls

**Personal Protective Equipment:**

**General protective and hygienic measures:** Wash hands before breaks and at the end of work.

**Respiratory protection:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Not necessary if room is well-ventilated.

**Protection of hands:** Solvent resistant gloves

**Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.

**Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

**Eye protection:** Safety glasses

**Body protection:** Protective work clothing

## Section 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

<b>Appearance:</b>	
<b>Form:</b>	Viscous
<b>Colour:</b>	Black
<b>Odour:</b>	Solvent-like
<b>pH-value:</b>	Not determined.
<b>Change in condition</b>	
<b>Initial boiling point and boiling range:</b>	130 °C
<b>Flash point:</b>	36 °C
<b>Auto-ignition temperature:</b>	Product is not selfigniting.
<b>Explosive properties:</b>	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
<b>Explosion limits:</b>	
<b>Lower:</b>	0.5 Vol %
<b>Upper:</b>	7.0 Vol %
<b>Vapour pressure at 20 °C:</b>	3 hPa
<b>Density at 20 °C:</b>	1.1 g/cm <sup>3</sup>
<b>Solubility in / Miscibility with water:</b>	Insoluble.
<b>Organic solvents:</b>	Miscible with many organic solvents.
<b>Viscosity:</b>	
<b>Dynamic at 25 °C:</b>	9000 mPas
<b>Kinematic:</b>	Not determined.
<b>Solvent content:</b>	
<b>VOC (EC)</b>	VOC limit value (cat A/i) 500 g/L 2010. Product contains 290 g/L.

### 9.2 Other information

No further information available.

## Section 10: Stability and reactivity

### 10.1. Reactivity

No further relevant information is available

### 10.2 Chemical stability

**Thermal decomposition / conditions to be avoided:**  
No decomposition if used according to specifications.

**10.3 Possibility of hazardous reactions** No dangerous reactions known.

**10.4 Conditions to avoid** No further relevant information available.

**10.5 Incompatible materials:** No further relevant information available.

### 10.6 Hazardous decomposition products:

Hazardous decompositions products may be released during prolonged heating like smokes, carbon monoxide and dioxides.

## Section 11: Toxicological information

### 11.1. Information on toxicological effects

**Acute toxicity** Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:		
<b>hydrocarbons, C9-C11, n-alkanes, isoalkanes cyclic, &lt;2% aromates</b>		
Oral	LD50	>5000 mg/kg (rat)
Dermal	LD50	>5000 mg/kg (rab)
Inhalative	LC50/4 h	>5000 mg/kg (rat)
<b>Hydrocarbons, C9-C12, n-alkanes, iso-alkanes, cyclic, aromates (2-25%)</b>		
Oral	LD50	>15000 mg/kg (rat)
Dermal	LD50	>3400 mg/kg (rab)

#### Primary irritant effect:

**Skin corrosion/irritation:** Based on available data, the classification criteria are not met.

**Serious eye damage/irritation:** Splashes in the eyes may cause irritation and reversible local damage.

**Respiratory or skin sensitisation:** Based on available data, the classification criteria are not met.

#### CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

**Germ cell mutagenicity:** Based on available data, the classification criteria are not met.

**Carcinogenicity:** Based on available data, the classification criteria are not met.

**Reproductive toxicity:** Based on available data, the classification criteria are not met.

**STOT-single exposure:** May cause drowsiness or dizziness.

**STOT-repeated exposure:** May cause damage to organs through prolonged or repeated exposure.

**Aspiration hazard:** Based on available data, the classification criteria are not met.

## Section 12: Ecological information

### 12.1. Toxicity

Aquatic toxicity:	
<b>Hydrocarbons, C9-C12, n-alkanes, iso-alkanes, cyclic, aromates (2-25%)</b>	
EC50	10 mg/l (daphnia)

**12.2 Persistence and degradability** No further relevant information available.

**12.3 Bioaccumulative potential** No further relevant information available.

**12.4 Mobility in soil** No further relevant information available.

#### Additional ecological information:

##### General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

## 12.5 Results of PBT and vPvB assessment

**PBT:** Not applicable.

**vPvB:** Not applicable.

**12.6 Other adverse effects:** No further relevant information available.

## Section 13: Disposal considerations

### 13.1. Waste treatment methods


**Recommendation**

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

**Uncleaned packaging:**

**Recommendation:** Disposal must be made according to official regulations.

## Section 14: Transport information

<b>14.1 UN number:</b> ADR, IMDG	<b>UN1268</b>
<b>14.2 UN proper shipping name</b> ADR  IMDG	UN 1268, PETROLEUM PRODUCTS, N.O.S. exemption according 2.2.3.1.5.  UN 1268, Petroleum products nos, 3, III, (36 °C c.c.) Transport in accordance with 2.3.2.5 of the IMDG code.
<b>14.3 Transport hazard class(es)</b> ADR, IMDG    Class	3 Flammable liquids
<b>14.4 Packing group</b> ADR, IMDG	III
<b>14.5 Environmental hazards:</b> <b>Marine pollutant:</b>	No
<b>14.6 Special precautions for user</b>	Warning: Flammable liquids.
<b>14.7 Transport in bulk according to Annex II of Marpol and the IBC Code</b>	Not applicable.

<b>Transport/Additional information:</b> <b>ADR</b> <b>Limited quantities (LQ)</b> <b>Transport category</b> <b>Tunnel restriction code</b>	5L 3 D/E
<b>UN "Model Regulation":</b>	UN1268, PETROLEUM PRODUCTS, N.O.S., 3, III

## Section 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3

**National regulations:**

**Other regulations, limitations and prohibitive regulations**

**Substances of very high concern (SVHC) according to REACH, Article 57**

This product does not contain any SVHC's.

### 15.2. Chemical Safety Assessment

**Chemical safety assessment:** A chemical safety assessment has not been carried out

## Section 16: Other information

### Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### Relevant phrases

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H336 May cause drowsiness or dizziness.

#### Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)



VOC: Volatile Organic Compounds (USA, EU)

DNEL: Derived No-Effect Level (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 3: Flammable liquids – Category 3

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

Asp. Tox. 1: Aspiration hazard – Category 1

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

**\* Data compared to the previous version altered. GB**

#### **Version History.**

Version 1 26/09/2017 New release for Classification, Labelling Packaging Regulations

Version 2 26/09/2107 Revised version, amendments to constituent materials