

FIX-R Quick Dry Bitumen primer Safety Data Sheet

According to EC regulation 1907/2006/EC Article 31

Version number 3.0

Revision: 18 / 01 / 2018

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: FIX-R Quick Dry Bitumen Primer

1.2. Relevant identified uses of the substance or mixture and uses advised against

SU19 Building and construction work

SU21 Consumer uses: Private households / general public / consumers

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Use of substance / mixture: Bitumen Primer

1.3. Details of the supplier of the safety data sheet

Company name:

FIX-R

Harding Way

St Ives

Cambridgeshire

PE27 3YJ

Tel: 01480 466777 Fax: 01480 290133 Email: info@fix-r.co.uk www.fix-r.co.uk

1.4. Emergency telephone number: NHS 111

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification of the substance or mixture according to Regulation (EC) No 1272/2008

Flam. Liq. 3 H226 Flammable liquid and vapour.

STOT SE 3 H336 May cause drowsiness or dizziness.

Aps. Tox. 1 2 H304 May be fatal if swallowed and enters airways.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms:







GHS0

CHSUS

Signal word: Danger

Hazard-determining components of labelling:

hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclic, <2% aromates

Hazard statements:

H226 Flammable liquid and vapour.

H336 May cause drowsiness or dizziness.

H304 May be fatal if swallowed and enters airways.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements:

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P241 Use explosion-proof electrical/ventilating/lighting equipment.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Additional information:

EUH066 Repeated exposure may cause skin dryness or cracking.

Section 3: Composition/information on ingredients

3.1 Chemical characterisation: Mixtures

Description: Mixture of aliphatic hydrocarbons and bitumen.

Dangerous components:		
EC number: 927-241-2 Reg.nr.: 01-2119471843-32	hydrocarbons,C9-C10, n-alkanes, isoalkanes, cyclic, <2% aromates	50-60%
	Flam. Liq. 3, H226	
	Asp. Tox. 1, H304	
	STOT SE 3, H336	
	Aquatic Chronic 3, H412	

Additional information: For the wording of the listed hazard phrases refer to section 16.

Section 4: First aid measures

4.1. Description of first aid measures

After inhalation: Supply fresh air; consult doctor in case of complaints. **After skin contact:** Generally the product does not irritate the skin.

After eye contact: Rinse opened eye for several minutes under running water.

After swallowing: If symptoms persist consult doctor.

4.2. Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3. Indication of any immediate medical attention and special treatment needed

No further relevant information available.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

For safety reasons unsuitable extinguishing agents: Water with full jet

5.2 Special hazards arising from the substance or mixture

Not applicable.

5.3 Advice for firefighters

Protective equipment: Wear self-contained respiratory protective device.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

Section 7: Handling and storage

7.1. Precautions for safe handling

Use only in well ventilated areas.

Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

7.2. Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles: Store in a cool location.

Information about storage in one common storage facility: Not required.

Further information about storage conditions:

Keep container tightly sealed.

Protect from heat and direct sunlight.

Section 8: Exposure controls/personal protection

Additional information about design of technical facilities: No further data; see item 7

8.1. Control parameters

Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls

Personal Protective Equipment:

General protective and hygienic measures: Wash hands before breaks and at the end of work.

Respiratory protection: Not necessary if room is well-ventilated.

Protection of hands: Solvent resistant gloves

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection: Tightly sealed goggles



Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance:

Form: Fluid Colour: Black

Odour: Petroleum-like pH-value: Not determined.

Change in condition

Initial boiling point and boiling range: $110 \, ^{\circ}\text{C}$ Flash point: $24 \, ^{\circ}\text{C}$ Ignition point: $240 \, ^{\circ}\text{C}$

Auto-ignition temperature: Product is not selfigniting.

Explosive properties: Product is not explosive. However, formation of explosive

air/vapour mixtures are possible.

Explosion limits:

Lower: 0,5 Vol %
Upper: 7,0 Vol %
Vapour pressure at 20 °C: 5 hPa
Density at 20 °C: 0,86 g/cm³
Solubility in / Miscibility with water: Insoluble.

Organic solvents: Miscible with many organic solvents.

Viscosity:

Dynamic: Not determined. **Kinematic:** 9 –14 mm2/s (40°C)

Solvent content:

VOC (EC) VOC limit value (cat A/h) 750 g/L 2010.

Product contains 430 g/L.

9.2 Other informationNo further information available.

Section 10: Stability and reactivity

10.1. Reactivity

No further relevant information is available

10.2 Chemical stability

Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- **10.3 Possibility of hazardous reactions:** No dangerous reactions known.
- **10.4 Conditions to avoid:** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.

10.6 Hazardous decomposition products:

Hazardous decompositions products may be released during prolonged heating like smokes, carbon monoxide and dioxides.

Section 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:					
hydrocarbons,C9-C10, n-alkanes, isoalkanes, cyclic, <2% aromates					
Oral	LD50	>5000 mg/kg (rat)			
Dermal	LD50	>5000 mg/kg (rab)			

Primary irritant effect:

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/irritation: Splashes in the eyes may cause irritation and reversible local damage.

Respiratory or skin sensitisation: Based on available data, the classification criteria are not met.

CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure: May cause drowsiness or dizziness.

STOT-repeated exposure: Based on available data, the classification criteria are not met.

Aspiration hazard: May be fatal if swallowed and enters airways.

Section 12: Ecological information

12.1. Toxicity

Aquatic toxicity:					
Hydrocarbons, C9-C10, n-alkanes, iso-alkanes, cyclic, <2% aromates					
Inhalative	LC50	>4,951 mg/l (rat)			
	EC50	>1,000 mg/l (fish)			

- **12.2** Persistence and degradability No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.

Ecotoxical effects:

Remark: Harmful to fish

Additional ecological information:

General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Harmful to aquatic organisms.

12.5 Results of PBT and vPvB assessment

PBT: Not applicable. **vPvB:** Not applicable.

12.6 Other adverse effects: No further relevant information available.

Section 13: Disposal considerations

13.1. Waste treatment methods

Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

Section 14: Transport information

14.1 UN number:	
ADR, IMDG	UN1268
14.2 UN proper shipping name	
ADR	UN 1268, PETROLEUM PRODUCTS, N.O.S.
IMDG	UN 1268, Petroleum products n.o.s, 3, III, (24 °Cc.c.)
14.3 Transport hazard class(es)	
ADR, IMDG	
Class	3 Flammable liquids
Label	3
14.4 Packing group	
ADR, IMDG	III
14.5 Environmental hazards:	
Marine pollutant:	No
14.6 Special precautions for user	Warning: Flammable liquids.
Danger code (Kemler):	30
14.7 Transport in bulk according to Annex II	
of Marpol and the IBC Code	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	5L
Transport category	3
Tunnel restriction code	D/E
UN "Model Regulation":	UN1268, PETROLEUM PRODUCTS, N.O.S., 3, III

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

National regulations:

Other regulations, limitations and prohibitive regulations
Substances of very high concern (SVHC) according to REACH, Article 57
This product does not contain any SVHC's.

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out

Section 16: Other information

Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H336 May cause drowsiness or dizziness.

H412 Harmful to aquatic life with long lasting effects.

Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 3: Flammable liquids – Category 3

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Asp. Tox. 1: Aspiration hazard – Category 1

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

^{*} Data compared to the previous version altered. GB